

Product Name **OSMOSE HYLITE 80 ANTI-SAPSTAIN**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name **OSMOSE (AUSTRALIA) PTY LTD**
Address Caipirco Road, Mount Gambier, SA, AUSTRALIA, 5290
Telephone (08) 8723 1399
Fax (08) 8732 0010
Emergency 1800 088 809
Email customerservices@osmose.com.au
Web Site http://www.osmose.com.au/
Synonym(s) HYLITE 80 ANTI SAPSTAIN
Use(s) TIMBER PRESERVATIVE
SDS Date 04 Mar 2010

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

RISK PHRASES

R36/38 Irritating to eyes and skin.

SAFETY PHRASES

S2 Keep out of reach of children.
S41 In case of fire and/or explosion, do not breathe fumes.

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No.	2586	DG Class	8	Subsidiary Risk(s)	None Allocated
Packing Group	III	Hazchem Code	2X	EPG	8A1

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
1-METHYL-2-PYRROLIDONE	C5-H9-N-O	872-50-4	30-60%
CARBENDAZIM	C9-H9-N3-O2	10605-21-7	<9%
COPPER 8-HYDROXYQUINOLATE	Not Available	10380-28-6	<9%
DODECYLBENZENE SULPHONIC ACID	C18-H30-O3-S	27176-87-0	30-60%
POLYETHYLENE GLYCOL MONO(NONYLPHENOL) ETHER	(C2-H4-O) _n C15-H24-O	9016-45-9	<9%

4. FIRST AID MEASURES

Eye	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.
Advice to Doctor	Treat symptomatically

5. FIRE FIGHTING MEASURES

Flammability	Combustible. May evolve toxic gases (carbon/ nitrogen oxides, hydrocarbons) when heated to decomposition.
Fire and Explosion	Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.
Extinguishing	Dry agent, carbon dioxide, foam or water fog. Prevent contamination of drains or waterways.
Hazchem Code	2X

6. ACCIDENTAL RELEASE MEASURES

Spillage	If spilt, collect and reuse where possible. Use personal protective equipment. Contain spillage, then cover / absorb spill with non-combustible absorbant material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. Prevent spill entering drains or waterways.
-----------------	--

7. STORAGE AND HANDLING

Storage	Store in a cool, dry, well ventilated area, removed from oxidising agents, acids, alkalis, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.
Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds	Ingredient	Reference	TWA		STEL	
			ppm	mg/m3	ppm	mg/m3
	1-Methyl-2-pyrrolidone	ASCC (AUS)	25	103	75	309
	Copper (fume)	ASCC (AUS)	--	0.2	--	--
	Copper, dusts & mists (as Cu)	ASCC (AUS)	--	1	--	--

CARBENDAZIM

ES-TWA: 0.1 mg/m3 (Russian OEL)

Biological Limits	No biological limit allocated.
Engineering Controls	Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is recommended.
PPE	Wear splash-proof goggles and rubber or PVC gloves. When using large quantities or where heavy contamination is likely, wear: coveralls. Where an inhalation risk exists, wear: a Type A (Organic vapour) respirator.



9. PHYSICAL AND CHEMICAL PROPERTIES

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	CLEAR PALE GREEN LIQUID	Solubility (Water)	SOLUBLE
Odour	MILD SWEET ODOUR	Specific Gravity	1.07
pH	1.7	% Volatiles	NOT AVAILABLE
Vapour Pressure	NOT AVAILABLE	Flammability	CLASS C1 COMBUSTIBLE
Vapour Density	NOT AVAILABLE	Flash Point	74°C (cc)
Boiling Point	> 200°C	Upper Explosion Limit	NOT AVAILABLE
Melting Point	NOT AVAILABLE	Lower Explosion Limit	NOT AVAILABLE
Evaporation Rate	NOT AVAILABLE		

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under recommended conditions of storage.
Conditions to Avoid	Avoid heat, sparks, open flames and other ignition sources.
Material to Avoid	Incompatible with oxidising agents (eg. hypochlorites), acids (eg. nitric acid), alkalis (eg. hydroxides), heat and ignition sources.
Decomposition	May evolve toxic gases (carbon/ nitrogen oxides, hydrocarbons) when heated to decomposition.
Hazardous Reactions	Hazardous polymerization is not expected to occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary	Low to moderate toxicity - irritant. This product has the potential to cause eye or skin irritation and headaches with over exposure. Experimental reproductive effects have been reported.
Eye	Irritant. Contact may result in irritation, lacrimation, pain, redness and conjunctivitis. May result in burns with prolonged contact.
Inhalation	Irritant. Over exposure may result in respiratory irritation, coughing, nausea and headache. High level exposure may result in pulmonary oedema.
Skin	Irritant. Contact may result in irritation, redness, rash and dermatitis.
Ingestion	Low to moderate toxicity. Ingestion may result in gastrointestinal irritation, nausea, vomiting, abdominal pain and diarrhoea.
Toxicity Data	1-METHYL-2-PYRROLIDONE (872-50-4) LD50 (Ingestion): 3914 mg/kg (rat) LD50 (Intraperitoneal): 2742 mg/kg (rat) LD50 (Intravenous): 54.5 mg/kg (mouse) LD50 (Skin): 8000 mg/kg (rabbit) LD50 (Subcutaneous): > 2000 mg/kg (rat) CARBENDAZIM (10605-21-7) LD50 (Ingestion): 2500 mg/kg (dog) LD50 (Intraperitoneal): 1225 mg/kg (mouse) LD50 (Skin): 2000 mg/kg (rat) COPPER 8-HYDROXYQUINOLATE (10380-28-6) LC50 (Inhalation): 820 mg/m3 (rat) LD50 (Ingestion): 3940 mg/kg (mouse) LD50 (Skin): > 2 gm/kg (rabbit) DODECYLBENZENE SULPHONIC ACID (27176-87-0) LD50 (Ingestion): 650 mg/kg (rat) POLYETHYLENE GLYCOL MONO(NONYLPHENOL) ETHER (9016-45-9) LD50 (Ingestion): 1310 mg/kg (rat) LD50 (Skin): 2000 mL/kg (rabbit)

12. ECOLOGICAL INFORMATION

Environment	Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.
-------------	--

13. DISPOSAL CONSIDERATIONS

Waste Disposal	For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information if larger amounts are involved. Prevent contamination of drains and waterways as aquatic life may be threatened and environmental damage may result.
----------------	--

Product Name OSMOSE HYLITE 80 ANTI-SAPSTAIN

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION



CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name	ALKYLSULFONIC ACIDS, LIQUID or ARYLSULFONIC ACIDS, LIQUID with not more than 5 % free sulfuric acid				
UN No.	2586	DG Class	8	Subsidiary Risk(s)	None Allocated
Packing Group	III	Hazchem Code	2X	EPG	8A1

IATA

Shipping Name	ALKYLSULFONIC ACIDS, LIQUID or ARYLSULFONIC ACIDS, LIQUID with not more than 5 % free sulfuric acid				
UN No.	2586	DG Class	8	Subsidiary Risk(s)	None Allocated
Packing Group	III				

IMDG

Shipping Name	ALKYLSULFONIC ACIDS, LIQUID or ARYLSULFONIC ACIDS, LIQUID with not more than 5 % free sulfuric acid				
UN No.	2586	DG Class	8	Subsidiary Risk(s)	None Allocated
Packing Group	III				

15. REGULATORY INFORMATION

Poison Schedule Classified as a Schedule 6 (S6) Poison using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Additional Information WORK PRACTICES - SOLVENTS: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European Inventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m³ - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

Product Name**OSMOSE HYLITE 80 ANTI-SAPSTAIN**

TWA/ES - Time Weighted Average or Exposure Standard.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Report Status

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared By

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmt.com.au

SDS Date: 04 Mar 2010

End of Report